## **Antidepressant Drugs**

Robert M. Millay RN, MSN Ed Professor, Napa Valley College Psychiatric Technician Programs

Convright © 2015, 2011, 2007, 2003, 1999, 1995, 1991 by Mosby, an imprint of Elsevier Inc.

### **IMPLICATIONS FOR THERAPY**

- Antidepressants are used in the treatment of
- lacktriangledown Antidepressants alleviate depressive S/sx
- Antidepressants may be used to stabilize

### **STATISTICS**

- $\ \blacksquare$  Antidepressants are the most common ...
- Antidepressants are most commonly ...

### **BIOCHEMICAL THEORIES**

- There is a lack of neurotransmitters...
- Antidepressants make more ...
- Neurotransmitters most often cited ...

### **ALTERNATE THEORIES**

- Receptor dysregulation
- Altered genetic output
- Premature neuronal death
- Lack of synaptogenesis

# PSYCHOBIOLOGY OF DEPRESSION Presynagic Neuron Presynagic Neuron 1. Operan attaches to proget and proget of the proget of the

ANTIDEPRESSANT TREATMENT	
STRATEGIES	
☐ First-line agents:	
■ Second-line agents:	
☐ Third-line agents:	
CATEGORIES OF	
ANTIDEPRESSANTS	
■ Selective serotonin reuptake inhibitors	
☐ Serotonin-norepinephrine reuptake inhibitors	
■ NE and dopamine reuptake inhibitors	
■ Novel antidepressants:	
	1
CATEGORIES OF ANTIDEPRESSANTS	
ANTIDEFRESSANTS	
■ Nonselective inhibition of NE and serotonin =	
T 1 11 11 ( 222	
□ Inhibition of enzymes=???	

# **IMPORTANT ISSUES RELATED** TO ANTIDEPRESSANT USE ■ Serotonin syndrome Antidepressant apathy syndrome Antidepressant withdrawal syndrome Antidepressant loss of effectiveness Antidepressant-induced suicide SIDE EFFECTS OF SSRIs Gastrointestinal symptoms: Anticholinergic effects: ■ Central nervous system effects: SIDE EFFECTS OF TCAs ■ Cardiovascular effects: not as common in **SSRIs** Anticholinergic effects: PNS Gastrointestinal effects ■ Genitourinary effect ■ Central nervous system effects

■ Somatic effects:

I TRAMINE-RICH FOODS TO	
AVOID WITH MAOI	
<ul> <li>Alcoholic beverages</li> </ul>	
Dairy products	
<ul><li>Fruits and vegetables</li><li>Meats</li></ul>	
<ul><li>• Meats</li><li>• Other foods</li></ul>	
	•
	1
SEROTONIN SYNDROME	
SERO I ONIN STINDROME	
■ Occurs if SSRI is combined with	
<ul><li>Tryptophan</li></ul>	
MAOIs	
<ul><li>Amphetamines, lithium, ecstasy</li><li>Cocaine, dextromethorphan, some TCAs,</li></ul>	
venlafaxine	
<ul> <li>Buspirone, Lysergic acid diethylamide (LSD)</li> </ul>	
	1
SEROTONIN SYNDROME (Cont.)	
SERO TOMIN STADROME (Cont.)	
■ Cognitive effects:	
Autonomic effects:	

SSRI-DRUG INTERACTIONS
■ MAOI:
Lithium:
<ul><li>Antipsychotic:</li><li>Benzodiazepine:</li></ul>
□ TCA:
1
TCA-DRUG INTERACTIONS
<ul><li>MAOIs:</li><li>Sympathomimetics:</li><li>Warfarin:</li></ul>
<ul><li>Barbiturates, anticonvulsants:</li><li>Anticholinergics:</li></ul>
<ul><li>L-Dopa:</li><li>Alcohol, benzodiazepines:</li></ul>
HYPERTENSIVE CRISIS
□ Palpitations
<ul><li>Tightness in the chest</li><li>Stiff neck</li></ul>
<ul> <li>Throbbing, radiating headache</li> <li>Elevated blood pressure and tachycardia</li> </ul>
Diaphoresis and dilated pupils