
CHAPTER 4

Settings for Psychiatric Care



Prevention Strategies

- **□** 1
- 2
- 3

Outpatient Psychiatric Mental Health Care

- Primary care providers
- Specialty psychiatric care providers
- Patient-centered health/medical homes
- Community clinics
- Psychiatric home care
- Assertive community treatment (ACT)

Outpatient Psychiatric Mental Health Care (Cont.)

- Partial hospitalization programs (PHPs)
- Other outpatient venues for psychiatric care
 - 1
 - 2
 - 3
 - 4

Psychiatric Nursing in Outpatient and Community Settings

- Strong problem-solving and clinical skills
- Cultural competence
- Flexibility
- Knowledge of community resources
- Autonomy

Psychiatric Nursing in Outpatient and Community Settings (Cont.)

- Biopsychosocial assessment
- Case management
- Promoting continuation of treatment
- Teamwork and collaboration

Case Study

You are working with a patient who will be discharged into the community soon. What are some problems that may affect the success of treatment?

Emergency Care and Crisis Stabilization

- Comprehensive emergency service model
- Hospital-based consultant model
- Mobile crisis team model
- Crisis stabilization/observation units

Inpatient Psychiatric Care

- Admission reserved for individuals who are1.
 - **2**.
 - **3**

Inpatient Psychiatric Care (Cont.)

- $\hfill\square$ Admission options
 - Direct admission
 - Hospital emergency department
- Criteria to justify admissions
 - Danger to self or others or
 - Unable to fulfill basic needs
- Voluntary or involuntary

Patients' Rights

- Hospitalized patients retain their rights as citizens
- Patient's need for safety must be balanced against patient's rights as a citizen
- Mental health facilities have written statements of patient's rights and applicable state laws

Multidisciplinary Treatment Team

- Members of each discipline are responsible for...
- Treatment plan or clinical pathway provides...

Therapeutic Milieu

Surroundings and physical environment1.

■ 2.

3.

Nursing Care

- Admission assessment
- Physical health assessment
- Therapeutic groups
- Documentation

Nursing Care (Cont.)

- Medication management
- Medical emergencies
- Preparation for discharge to community

Audience Response Questions

- 1. An occupational health nurse screens factory workers for depression. Which level of prevention is applicable to this activity?
 - A. PrimaryB. SecondaryC. TertiaryD. Not sure

Audience Response Questions

- 2. A hospitalized client diagnosed with major depression tells the psych tech, "I need my belt to keep my pants up. They keep falling down." Which response should the psych tech provide?
 - A. "Your belt is locked in the business office for safekeeping, along with all your other valuables."
 - B. "For safety reasons, hospitalized clients are not allowed to keep certain personal possessions."
 - C. "I cannot provide your belt, but I will help you get some pants with an elastic waistband."
 - D. "I will ask the PTA to get your belt for you."